

**WARREN COUNTY HIGHWAY DEPARTMENT
OFFICIAL BID SHEET
BID PRICES FROM NOVEMBER 1, 2013 TILL OCTOBER 31, 2014**

DESCRIPTION: CHEMICAL MOWING OF ROADSIDES

WARREN CO. HIGHWAY DEPARTMENT WILL BE ACCEPTING BIDS FOR CHEMICAL MOWING OF VARIOUS STATE-AID AND COUNTY ROADS. SEE ATTACHED SPECIFICATIONS.

MUST BE LICENSED AND BONDED

IN CASE OF TIE BIDS, THE PURCHASING COMMISSION RESERVES THE RIGHT TO NEGOTIATE WITH THE BIDDERS OR REJECT ANY OR ALL BIDS. THE RIGHT IS RESERVED AS THE INTEREST OF WARREN COUNTY, TENNESSEE MAY REQUIRE TO REJECT ANY AND ALL BIDS RECEIVED.

(BIDS MUST BE SIGNED AND DATED TO BE VALID)

DATE: _____

FIRM NAME: _____

BY: _____

TITLE: _____

ADDRESS: _____

PHONE NUMBER: _____

DELIVERY DATE: _____

PRICE PER MILE WITH ONE APPLICATION: \$_____

ALL SEALED ENVELOPES MUST BE MARKED "BID ENCLOSED"

**WARREN COUNTY HIGHWAY DEPARTMENT
BID SHEET
BID PRICES FROM NOVEMBER 1, 2013 TILL OCTOBER 31, 2014**

DESCRIPTION: HIGH PERFORMANCE COLD MIX – PICKED UP AT PLANT

<u>DESCRIPTION</u>	<u>UNIT</u>	<u>UNIT PRICE</u>
HIGH PERFORMANCE COLD MIX (MIXED WITH 3/8" OR #89 ROCK)	TON	\$ _____

These items must meet the Tennessee Department of Transportation standard specifications.

In case the supplier cannot provide the Cold Mix requested, supplier has the option of substituting a grade of Cold Mix equal to or better at no additional cost to the Highway Department. If supplier does not want to substitute, the Highway Department reserves the right to obtain the Cold Mix from the vendor who had the next lowest bid.

*****BID MUST BE SIGNED AND DATED TO BE VALID*****

DATE: _____
FIRM NAME: _____
BY: _____
TITLE: _____
ADDRESS: _____
PHONE NO: _____

ALL SEALED ENVELOPES MUST BE MARKED "BID ENCLOSED"

**WARREN COUNTY HIGHWAY DEPARTMENT
OFFICIAL BID SHEET
BID PRICES GOOD FROM NOVEMBER 1, 2013 TILL OCTOBER 31, 2014**

DESCRIPTION: CRUSHED STONE - DELIVERED

Supplier of Crushed Stone must furnish certified weight tickets.
Stone Bid is on a per-ton basis.
Crushed Stone is to be delivered to various locations in Warren County.

All stone will be required to meet the Tennessee Department of Transportation's test and specifications.

<u>BID ITEM</u>	<u>DESCRIPTION</u>	<u>PRICE PER TON DELIVERED</u>
#2	2" Clean Septic	\$ _____
#4	1½" Clean Septic	\$ _____
#5	1" Chips	\$ _____
#6	¾" Chips (washed)	\$ _____
#7	½" Chips (washed)	\$ _____
#8	3/8" Chips (washed)	\$ _____
#10	Screenings	\$ _____
#57	1¼" Chips	\$ _____
Rip Rap	All Sizes	\$ _____
Type 3 Rip Rap	Graded Stone About 4" to 6"	\$ _____
Surge Stone	Fines to about 8"	\$ _____
Class A Aggregate	Crusher run 1¼" down to dust	\$ _____
Wet Class A Aggregate	Wet crusher run	\$ _____

In case of tie bids, the Purchasing Commission reserves the right to negotiate with the bidders or reject any or all bids. The right is reserved as the interest of Warren County Highway Department and may require to reject any and all bids received.

*****BIDS MUST BE SIGNED AND DATED TO VALID*****

DATE: _____
 FIRM NAME: _____
 BY: _____
 TITLE: _____
 ADDRESS: _____
 PHONE NO. _____

ALL SEALED ENVELOPES MUST BE MARKED "BID ENCLOSED"

**WARREN COUNTY HIGHWAY DEPARTMENT
OFFICIAL BID SHEET
BID PRICES GOOD FROM NOVEMBER 1, 2013 TILL OCTOBER 31, 2014**

DESCRIPTION: CRUSHED STONE

Supplier of Crushed Stone must furnish certified weight tickets.
Stone Bid is on a per-ton basis.
F.O.B. vendor's plant or quarry.

All stone will be required to meet the Tennessee Department of Transportation's test and specifications.

<u>BID ITEM</u>	<u>DESCRIPTION</u>	<u>PRICE PER TON</u>
#2	2" Clean Septic	\$ _____
#4	1½" Clean Septic	\$ _____
#5	1" Chips	\$ _____
#6	¾" Chips (washed)	\$ _____
#7	½" Chips (washed)	\$ _____
#8	3/8" Chips (washed)	\$ _____
#10	Screenings	\$ _____
#57	1¼" Chips	\$ _____
Rip Rap	All Sizes	\$ _____
Type 3 Rip Rap	Graded Stone About 4" to 6"	\$ _____
Surge Stone	Fines to about 8"	\$ _____
Class A Aggregate	Crusher run 1¼" down to dust	\$ _____
Wet Class A Aggregate	Wet crusher run	\$ _____

In case of tie bids, the Purchasing Commission reserves the right to negotiate with the bidders or reject any or all bids. The right is reserved as the interest of Warren County Highway Department and may require to reject any and all bids received.

*****BIDS MUST BE SIGNED AND DATED TO VALID*****

DATE: _____
 FIRM NAME: _____
 BY: _____
 TITLE: _____
 ADDRESS: _____
 PHONE NO. _____

ALL SEALED ENVELOPES MUST BE MARKED "BID ENCLOSED"

**WARREN COUNTY HIGHWAY DEPARTMENT
OFFICAIL BID SHEET
BID PRICES GOOD FROM NOVEMBER 1, 2013 TILL OCTOBER 31, 2014**

DESCRIPTION: GUARDRAILS

<u>ITEM NO.</u>	<u>DESCRIPTION</u>	<u>UNIT</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
705-01.52	SINGLE GRDRL (TYPE2) LONG POST	L.F.	_____	_____
705-02.02	SINGLE GRDRL (TYPE2)	L.F.	_____	_____
705-04.02	GRDRL TRM (TYPE12)	E.A.	_____	_____
705-04.21	GRDRL TRM (TYPE 21)	E.A.	_____	_____
705-04.38	GRDRL TRM (TYPE 38)	E.A.	_____	_____
705-04.08	GRDRL ANCHOR (IN LINE)	E.A.	_____	_____

(GENERAL NOTES)

1. Payment shall be full compensation for all posts, blocks, rail elements, terminal section, fittings, hardware, labor and equipment, and all incidentals necessary to complete the work.
2. Furnish (NEW MATERIALS) for each item and install at various locations in county. As Directed "MAY BE USED AS A MAINTENANCE REPAIR ON ANY EXISITING SITES"
3. All materials and workmanship must meet the Tennessee Department of Transportation Specifications. Final field inspection will be conducted by Tennessee D.O.T. and County Personnel.
4. Contractor may submit Alternate Bid Sheet for any item that will include USED material being in good acceptable condition.
5. All items to be bid in English Units.
6. NO MOBILIZATION item No. 717-01 NO BID.

*****BIDS MUST BE SIGNED AND DATED TO BE VALID*****

DATE: _____
 FIRM NAME: _____
 BY: _____
 TITLE: _____
 ADDRESS: _____
 PHONE NO: _____

ALL SEALED ENVELOPES MUST BE MARKED "BID ENCLOSED"

**WARREN COUNTY HIGHWAY DEPARTMENT
OFFICIAL BID SHEET
BID PRICES GOOD FROM NOVEMBER 1, 2013 TILL MAY 31, 2014**

DESCRIPTION: HOT MIX – PICKED UP AT PLANT

<u>ITEM NO.</u>	<u>DESCRIPTION</u>	<u>UNIT</u>	<u>UNIT PRICE</u>
307	“A” MIX	TON	\$_____
307	“AS” MIX	TON	\$_____
307	“B” MIX	TON	\$_____
307	“BM” MIX	TON	\$_____
307	“C” MIX	TON	\$_____
307	“CW” MIX	TON	\$_____
411	“D” MIX	TON	\$_____
411	“E” MIX	TON	\$_____
411	“F” MIX	TON	\$_____

Is Bid subject to Tennessee Department of Transportation Bituminous Index? _____
If yes, please list Octobers Bituminous Index Bid _____ per ton

A minimum asphalt cement content will be required for the following mixes: 307C-5.0%, 307CW-5.5%, 307B-4.7%, 307BM-5.3% and 411D-5.5%.

Mix designs approved by TDOT or an independent testing lab must be submitted and properly signed and dated for all mixes at the time of the bid opening.

Supplier must use all virgin materials in mix designs.

These items must meet the Tennessee Department of Transportation standard specifications.

In case the supplier cannot provide the Hot Mix requested, supplier has the option of substituting a grade of Hot Mix equal to or better at no additional cost to the Highway Department. If supplier does not want to substitute, the Purchasing Commission reserves the right to obtain the Hot Mix from the vendor who had the next lowest bid.

The County Road Superintendent reserves the right to extend this bid for an additional 6months.

*****BID MUST BE SIGNED AND DATED TO BE VALID*****

DATE: _____ BY: _____
FIRM NAME: _____ TITLE: _____
ADDRESS: _____ PHONE: _____

ALL SEALED ENVELOPES MUST BE MARKED “BID ENCLOSED”

**WARREN COUNTY HIGHWAY DEPARTMENT
 BID SHEET
 BID PRICES FROM NOVEMBER 1, 2013 TILL MAY 31, 2014**

**DESCRIPTION: HOT MIX
TACK COAT INCLUDED**

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>UNIT</u>	<u>PRICE AT PLANT NO-HAUL</u>	<u>SUPPLIER HAUL PRICE</u>
307	"A" MIX	TON	\$ _____	\$ _____
307	"AS" MIX	TON	\$ _____	\$ _____
307	"B" MIX	TON	\$ _____	\$ _____
307	"BM" MIX	TON	\$ _____	\$ _____
307	"C" MIX	TON	\$ _____	\$ _____
307	"CW" MIX	TON	\$ _____	\$ _____
411	"D" MIX	TON	\$ _____	\$ _____
411	"E" MIX	TON	\$ _____	\$ _____
411	"F" MIX	TON	\$ _____	\$ _____

Is Bid subject to Tennessee Department of Transportation Bituminous Index? _____
 If yes, please list Octobers Bituminous Index Bid _____ per ton

Supplier of Hot Mix will furnish, haul, place and compact to meet all Tennessee Department of Transportation standard specifications and test reports. Supplier will furnish traffic control and portable signs in compliance with Manual on Uniform Traffic Control Devices. Supplier must assign adequate personnel and equipment for job projects.

Warren Co. Highway Department reserves the right to haul the mix at the plant price for the supplier to lay in place.

A minimum asphalt cement content will be required for the following mixes: 307C-5.0%, 307CW-5.5%, 307B-4.7%, 307BM-5.3% and 411D-5.5%.

Mix designs approved by TDOT or independent testing lab must be submitted and properly signed and dated for all mixes at the time of bid opening.

Supplier must use all virgin materials in mix designs.

Supplier must provide certification of Liability Insurance.

Paving projects and tonnage may vary countywide.

Supplier shall guarantee materials and workmanship against defects arising from faulty materials or workmanship for a period of 2 years. County Road Superintendent will have discretion as to determine the final acceptance of all work performed by the supplier. Guarantee will apply to in-place plant mix asphalt only.

The supplier must begin work upon a request from the Highway Department within 3 days. If supplier cannot begin work within the 3 days the Highway Department reserves the right to go to the next lowest bidder. In case the supplier cannot furnish Hot Mix depending upon the one requested, Supplier has the option to substitute a Grade of Hot Mix equal to or better at no additional cost to the Highway Department. If supplier does not want to substitute, the Purchasing Commission reserves the right to obtain the Hot Mix from the vendor who had the next lowest bid.

The Road Superintendent will supervise all work. He will decide all questions which may arise as to the quality and acceptability of materials furnished and worked performed. In all of these matters, the decision of the Road Superintendent will be final and binding. The Road Superintendent will have the authority to suspend the work, wholly or in part, for such periods as he may deem necessary, due to unsuitable weather, or for any other conditions considered unsuitable for the prosecution of the work, or as deemed to be in the public interest.

In case of tie bids, the Purchasing Commission reserves the right to negotiate with the bidders or reject any or all bids. The right is reserved as the interest of Warren County, Tennessee may require to reject any and all bids received.

The County Road Superintendent reserves the right to extend this bid for an additional six months.

*******BIDS MUST BE SIGNED AND DATED TO BE VALID*******

DATE: _____	BY: _____
FIRM NAME: _____	TITLE: _____
ADDRESS: _____	PHONE: _____

ALL SEALED ENVELOPES MUST BE MARKED "BID ENCLOSED"

**WARREN COUNTY HIGHWAY DEPARTMENT
 BID SHEET
 BID PRICES FROM NOVEMBER 1, 2013 TILL MAY 31, 2014**

**DESCRIPTION: HOT MIX – RAP (MILLINGS)
TACK COAT INCLUDED**

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>UNIT</u>	<u>PRICE AT PLANT NO - HAUL</u>	<u>SUPPLIER HAUL PRICE</u>
307	“B” MIX	TON	\$_____	\$_____
307	“BM” MIX	TON	\$_____	\$_____
307	“C” MIX	TON	\$_____	\$_____
307	“CW” MIX	TON	\$_____	\$_____
411	“D” MIX	TON	\$_____	\$_____

Is Bid subject to Tennessee Department of Transportation Bituminous Index? _____
 If yes, please list Octobers Bituminous Index Bid _____ per ton

Supplier of Hot Mix will furnish, haul, place and compact to meet all Tennessee Department of Transportation standard specifications and test reports. Supplier will furnish traffic control and portable signs in compliance with Manual on Uniform Traffic Control Devices. Supplier must assign adequate personnel and equipment for job projects.

Warren Co. Highway Department reserves the right to haul the mix at the plant price for the supplier to lay in place.

A minimum asphalt cement content will be required for the following mixes: 307C–5.0%, 307CW-5.5%, 307B-4.7%, 307BM-5.3% and 411D-5.5%.

Mix designs approved by TDOT or an independent testing lab must be submitted and properly signed and dated for all mixes at the time of bid opening.

Supplier may use millings and virgin materials in mix designs.

Supplier must provide certification of Liability Insurance.

Paving projects and tonnage may vary countywide.

Supplier shall guarantee materials and workmanship against defects arising from faulty materials or workmanship for a period of 2 years. County Road Superintendent will have discretion as to determine the final acceptance of all work performed by the supplier. Guarantee will apply to in-place plant mix asphalt only.

The supplier must begin work upon a request from the Highway Department within 3 days. If supplier cannot begin work within the 3 days the Highway Department reserves the right to go to the next lowest bidder. In case the supplier cannot furnish Hot Mix depending upon the one requested, Supplier has the

option to substitute a Grade of Hot Mix equal to or better at no additional cost to the Highway Department. If supplier does not want to substitute, the Purchasing Commission reserves the right to obtain the Hot Mix from the vendor who had the next lowest bid.

The Road Superintendent will supervise all work. He will decide all questions which may arise as to the quality and acceptability of materials furnished and worked performed. In all of these matters, the decision of the Road Superintendent will be final and binding. The Road Superintendent will have the authority to suspend the work, wholly or in part, for such periods as he may deem necessary, due to unsuitable weather, or for any other conditions considered unsuitable for the prosecution of the work, or as deemed to be in the public interest.

In case of tie bids, the Purchasing Commission reserves the right to negotiate with the bidders or reject any or all bids. The right is reserved as the interest of Warren County, Tennessee may require to reject any and all bids received.

The County Road Superintendent reserves the right to extend this bid for an additional six months.

*******BIDS MUST BE SIGNED AND DATED TO BE VALID*******

DATE: _____	BY: _____
FIRM NAME: _____	TITLE: _____
ADDRESS: _____	PHONE: _____

ALL SEALED ENVELOPES MUST BE MARKED "BID ENCLOSED"

**WARREN COUNTY HIGHWAY DEPARTMENT
OFFICIAL BID SHEET
BID PRICES GOOD FROM NOVEMBER 1, 2013 TILL OCTOBER 31, 2014**

DESCRIPTION: ALUMINIZED TYPE 2 ULTRA FLO STEEL PIPE

Bidder must furnish bid prices for all items of construction as specified below. Prices must include delivery to County Garage.

<u>SIZE</u>	<u>DESCRIPTION</u>	<u>UNIT</u>	<u>UNIT PRICE</u>	<u>DESCRIPTION</u>	<u>UNIT</u>	<u>UNIT PRICE</u>
18"	16 Gauge Pipe	L.F.	\$	14 Gauge Pipe	L.F.	\$
24"	16 Gauge Pipe	L.F.	\$	14 Gauge Pipe	L.F.	\$
30"	16 Gauge Pipe	L.F.	\$	14 Gauge Pipe	L.F.	\$
36"	14 Gauge Pipe	L.F.	\$	14 Gauge Pipe	L.F.	\$
42"	12 Gauge Pipe	L.F.	\$	14 Gauge Pipe	L.F.	\$
48"	12 Gauge Pipe	L.F.	\$	14 Gauge Pipe	L.F.	\$
48"	12 Gauge (Arched)	L.F.	\$	14 Gauge (Arched)	L.F.	\$
60"	12 Gauge Pipe	L.F.	\$	14 Gauge Pipe	L.F.	\$
60"	12 Gauge (Arched)	L.F.	\$	14 Gauge (Arched)	L.F.	\$
72"	12 Gauge Pipe	L.F.	\$	14 Gauge Pipe	L.F.	\$
72"	12 Gauge (Arched)	L.F.	\$	14 Gauge (Arched)	L.F.	\$

These items to meet the Standard Specifications of the Tennessee Department of Transportation.

The Aluminized Type 2 Steel coils shall conform to the applicable requirements of AASHTO M 274 or ASTM A 929.

The Ultra Flo shall be manufactured with the 3/4" x 3/4" x 7-1/2" external ribs in accordance with the applicable requirements of AASHTO M-36 or ASTM A 760.

In case of tie bids, the Purchasing Commission reserves the right to negotiate with the bidders or reject any or all bids. The right is reserved as the interest of Warren County, Tennessee may require to reject any and all bids received.

*****BIDS MUST BE SIGNED AND DATED TO BE VALID*****

DATE: _____
 FIRM NAME: _____
 BY: _____
 TITLE: _____
 ADDRESS: _____
 PHONE NO: _____

ALL SEALED ENVBLOPES MUST BE MARKED "BID ENCLOSED"

**WARREN COUNTY HIGHWAY DEPARTMENT
OFFICIAL BID SHEET
BID PRICES GOOD FROM NOVEMBER 1, 2013 TILL OCTOBER 31, 2014**

DESCRIPTION: ALUMINIZED TYPE 2 CORRUGATED STEEL PIPE

Bidder must furnish bid prices for all items of construction as specified below. Prices must include delivery to County Garage.

<u>SIZE</u>	<u>DESCRIPTION</u>	<u>UNIT</u>	<u>UNIT PRICE</u>	<u>DESCRIPTION</u>	<u>UNIT</u>	<u>UNIT PRICE</u>
12"	14 Gauge Pipe	L.F.	\$	16 Gauge Pipe	L.F.	\$
15"	14 Gauge Pipe	L.F.	\$	16 Gauge Pipe	L.F.	\$
18"	14 Gauge Pipe	L.F.	\$	16 Gauge Pipe	L.F.	\$
24"	14 Gauge Pipe	L.F.	\$	12 Gauge Pipe	L.F.	\$
30"	14 Gauge Pipe	L.F.	\$	12 Gauge Pipe	L.F.	\$
36"	14 Gauge Pipe	L.F.	\$	12 Gauge Pipe	L.F.	\$
42"	14 Gauge Pipe	L.F.	\$	12 Gauge Pipe	L.F.	\$
48"	14 Gauge Pipe	L.F.	\$	12 Gauge Pipe	L.F.	\$
48"	14 Gauge (Arched)	L.F.	\$	12 Gauge (Arched)	L.F.	\$
60"	14 Gauge Pipe	L.F.	\$	12 Gauge Pipe	L.F.	\$
60"	14 Gauge (Arched)	L.F.	\$	12 Gauge (Arched)	L.F.	\$
72"	14 Gauge Pipe	L.F.	\$	12 Gauge Pipe	L.F.	\$
72"	14 Gauge (Arched)	L.F.	\$	12 Gauge (Arched)	L.F.	\$

These items to meet the Standard Specifications of the Tennessee Department of Transportation.

The Aluminized Type 2 Steel coils shall conform to the applicable requirements of AASHTO M 274 or ASTM A 929.

The CSP shall be manufactured in accordance with the applicable requirements of AASHTO M-36 or ASTM A760.

In case of tie bids, the Purchasing Commission reserves the right to negotiate with the bidders or reject any or all bids. The right is reserved as the interest of Warren County, Tennessee may require to reject any and all bids received.

*****BIDS MUST BE SIGNED AND DATED TO BE VALID*****

DATE: _____
 FIRM NAME: _____
 BY: _____
 TITLE: _____
 ADDRESS: _____
 PHONE NO: _____

ALL SEALED ENVBLOPES MUST BE MARKED "BID ENCLOSED"

**WARREN COUNTY HIGHWAY DEPARTMENT
OFFICIAL BID SHEET
BID PRICES GOOD FROM NOVEMBER 1, 2013 TILL OCTOBER 31, 2014**

DESCRIPTION: GALVANIZED CORRUGATED STEEL PIPE

Bidder must furnish bid prices for all items of construction as specified below. Prices must include delivery to County Garage.

<u>SIZE</u>	<u>DESCRIPTION</u>	<u>UNIT</u>	<u>UNIT PRICE</u>	<u>DESCRIPTION</u>	<u>UNIT</u>	<u>UNIT PRICE</u>
12"	14 Gauge Pipe	L.F.	\$	16 Gauge Pipe	L.F.	\$
15"	14 Gauge Pipe	L.F.	\$	16 Gauge Pipe	L.F.	\$
18"	14 Gauge Pipe	L.F.	\$	16 Gauge Pipe	L.F.	\$
24"	14 Gauge Pipe	L.F.	\$	16 Gauge Pipe	L.F.	\$
30"	14 Gauge Pipe	L.F.	\$	16 Gauge Pipe	L.F.	\$
36"	14 Gauge Pipe	L.F.	\$	16 Gauge Pipe	L.F.	\$
42"	14 Gauge Pipe	L.F.	\$	16 Gauge Pipe	L.F.	\$
48"	14 Gauge Pipe	L.F.	\$	14 Gauge (Arched)	L.F.	\$
48"	12 Gauge Pipe	L.F.	\$	12 Gauge (Arched)	L.F.	\$
60"	12 Gauge Pipe	L.F.	\$	12 Gauge (Arched)	L.F.	\$
72"	12 Gauge Pipe	L.F.	\$	12 Gauge (Arched)	L.F.	\$

These items to meet the Standard Specifications of the Tennessee Department of Transportation.

In case of tie bids, the Purchasing Commission reserves the right to negotiate with the bidders or reject any or all bids. The right is reserved as the interest of Warren County, Tennessee may require to reject any and all bids received.

*****BIDS MUST BE SIGNED AND DATED TO BE VALID*****

DATE: _____
 FIRM NAME: _____
 BY: _____
 TITLE: _____
 ADDRESS: _____
 PHONE NO: _____

ALL SEALED ENVBLOPES MUST BE MARKED "BID ENCLOSED"

**WARREN COUNTY HIGHWAY DEPARTMENT
OFFICIAL BID SHEET
BID PRICES GOOD FROM NOVEMBER 1, 2013 TILL OCTOBER 31, 2014**

DESCRIPTION: HDPE SMOOTH INTERIOR CORRUGATED PIPE

Bidder must furnish bid prices for all items of construction as specified below. Prices must include delivery to County Garage.

<u>SIZE</u>	<u>UNIT</u>	<u>UNIT PRICE</u>
12"	L.F.	\$
15"	L.F.	\$
18"	L.F.	\$
24"	L.F.	\$
30"	L.F.	\$
36"	L.F.	\$
42"	L.F.	\$
48"	L.F.	\$
60"	L.F.	\$

These items to meet the Standard Specifications of the Tennessee Department of Transportation.

In case of tie bids, the Purchasing Commission reserves the right to negotiate with the bidders or reject any or all bids. The right is reserved as the interest of Warren County, Tennessee may require to reject any and all bids received.

*****BIDS MUST BE SIGNED AND DATED TO BE VALID*****

DATE: _____
 FIRM NAME: _____
 BY: _____
 TITLE: _____
 ADDRESS: _____
 PHONE NO: _____

ALL SEALED ENVBLOPES MUST BE MARKED "BID ENCLOSED"

**WARREN COUNTY HIGHWAY DEPARTMENT
OFFICIAL BID SHEET
BID PRICES GOOD FROM NOVEMBER 1, 2013 TILL OCTOBER 31, 2014**

DESCRIPTION: ROAD OIL

<u>DESCRIPTION</u>	<u>UNIT PRICE PER GALLON DELIVERED</u>
AE – Prime	\$ _____
RS-2 Seal	\$ _____
SS-1 (Emulsified) Asphalt	\$ _____
AE-3 Mixing Grade	\$ _____
High Performance Cold Mix	\$ _____

*Price includes Mixing – Manufacturing to be done at County Garage or designated location in McMinnville, Tennessee.

If Supplier is late more than 3 times for more than 30 minutes each time, the Highway Department reserves the right to go to the next lowest bidder.

All materials must meet current specifications of the Tennessee Department of Transportation.

In Case of tie bids, the Purchasing Commission reserves the right to negotiate with the bidders or reject any or all bids. The right is reserved as the interest of Warren County, Tennessee may require to reject any and all bids received.

*****BID MUST BE SIGNED AND DATED TO BE VALID*****

DATE: _____
FIRM NAME: _____
BY: _____
TITLE: _____
ADDRESS: _____
PHONE NO: _____

ALL SEALED ENVELOPES MUST BE MARKED "BID ENCLOSED"

**WARREN COUNTY HIGHWAY DEPARTMENT
OFFICIAL BID SHEET
BID PRICES GOOD FROM NOVEMBER 1, 2013 TILL OCTOBER 31, 2014**

DESCRIPTION: STRIPING

JOB LOCATION: VARIOUS STATE-AID AND COUNTY ROADS IN WARREN COUNTY

Supplier must furnish all materials and perform all labor necessary for the completion of:

DESCRIPTION

Centerline & Edge line Striping (Paint)	\$_____ Per L.M.
Centerline & Edge line Striping (Spray, Thermo, Plastic)	\$_____ Per L.M.
Stop Bar (Thermo)	\$_____ Per L.F.
Stop Ahead (Thermo)	\$_____ Each
Stop (Thermo Only)	\$_____ Each
RR Crossing Symbol (Thermo)	\$_____ Each
Turn Arrows (Thermo)	\$_____ Each
Combination Arrow (Thermo)	\$_____ Each
Rumble Strips – 270mil. Thick (Thermo)	\$_____ Per Set (6 Lines)
8” Barrier Line (Thermo)	\$_____ Per L.F.
12” Channelization (Thermo)	\$_____ Per Sq.Yd.

This project is to be constructed under the standard specifications of the Tennessee Department of Transportation.

Bidder will be responsible for damages done to private vehicles.

In case of tie bids, the Purchasing Commission reserves the right to negotiate with the bidders or reject any or all bids. The right is reserved as the interest of Warren County, Tennessee may require to reject any and all bids received.

*****BIDS MUST BE SIGNED AND DATED TO BE VALID*****

DATE: _____
FIRM NAME: _____
BY: _____
TITLE: _____
ADDRESS: _____
PHONE NO: _____

ALL SEALED ENVELOPES MUST BE MARKED “BID ENCLOSED”